PubMed

Search: (TP53I11 OR PIG11) AND (cancer* OR tumor*)

U.S. National Library of Medicine National Institutes of Health

Filter your results: All (10)

Display Settings: Summary, 20 per page, Sorted by Recently Added

Wildcard search for 'cancer' used only the first 600 variations. Lengthen the root word to search for all endings.

Wildcard search for 'tumor' used only the first 600 variations. Lengthen the root word to search for all endings.

See the search details.

Are you looking for gene information?

pig11 in Homo sepiens | All 2 Gene records

tp53i11 in Homo sapiens | Rattus norvegicus | Bos faurus | All 9 Gene records

Results: 10

Possible roles of a tumor suppressor gene PIG11 in hepatocarcinogenesis and As203-induced apoptoeis in liver career
cells.

Liu XM, Xiong XF, Song Y, Tang RJ, Liang XQ, Cao EH.

J Gastroenterol. 2009;44(5):460-9. Epub 2009 Apr 1.

PMIC. 19333544 (PubMed - indexed for MEDLINE)

PIG11 protein binds to DNA in sequence-independent manner in vitro.
 Xiong XF, Li H, Cao EH.

Biochem Biophys Res Commun. 2007 Jun 22;358(1):29-34. Epub 2007 Apr 18.

PMID: 17462569 [PubMed - Indexed for MEDLINE]

 Expression profiles of apoptotic genes induced by curcumin in human breast cancer and mammary epithelial cell linea Ramachandran C, Rodriguez S, Ramachandran R, Raveendran Nair PK, Fonseca H, Khatib Z, Escalon E, Melnick SJ. Anticancer Res. 2005 Sep-Cat25(9):3293-302.

PMID: 15101141 [PubMed - indexed for MEDLINE]

4. Expression profiling of the estrogen responsive genes in response to phytoestrogens using a customized UNA microarray. Ise R, Han D, Takahashi Y, Tarsaka S, Inoue A, Tanji M, Kiyama R. FEBS. Lett. 2005 Mar 145/171732-40.

PMID: 15757668 (PubMed - indexed for MEDLINE)

 Gell growth inhibition and gene expression induced by the histone deacetylase inhibitor, trichostatin A, on human hepatoma cella.

Chiba T, Yokosuka O, Fukai K, Kojima H, Tada M, Arai M, Imazeki F, Saisho H.

Oncology, 2004;66(6):481-91.

PMIC: 15452378 [PubMed - indexed for MEDLINE]

A P53 target gene, PiG11, contributes to chemosensitivity of cells to arsenic trioxide.

Liang XQ, Cao EH, Zhang Y, Qin JF.

FEBS Lett. 2004 Jul 2;569(1-3):94-8.

PMID: 15225615 (PubMed - Indexed for MEDLINE)

 P53 induced gene 11 (PIG11) involved in arsenic trioxide-induced apoptosis in human gastric cancer MGC-803 cells. Liang XQ, Cao EH, Zhang Y, Qin JF.

Oncol Rep. 2003 Sep-Oct;10(5):1265-9.

PMID: 12583691 (PubMed - indexed for MEDUNE)

6 Genome-wide c LINA microarray analysis of gene-expression profiles involved in ovarian endometriosis. Arimoto T, Katagiri T, Oda K, Tsunoda T, Yasugi T, Osuga Y, Yoshikawa H, Nishii O, Yano T, Taketani Y, Nakamura Y. Int J Oncol. 2003 Mar 22(3):951-90.

PMID: 12579308 [PubMed - indexed for MEDLINE]

identification of three 1 tp11.2 candidate liver tumor suppressors through analysis of known human genes. Ricketts SL, Carter JC, Coleman WB. Mol Carcinos. 2003 Feb.36(2)90-9. PMID: 12557265 [PubMed - indexed for MEDIJNE]

10. Differential regulation of cellular target genes by p53 devoid of the PXXP motifs with impaired apoptotic activity, Zhu J, Jiang J, Zhou W, Zhu K, Chen X. Oncogene. 1999 Mar 25;18(12):2149-55.

PMID: 10321740 [PubMed - Indexed for MEDLINE] Free article